



A-Shape LED

5A19/PER/930/P/E26/DIM 6/1FB T20

Philips A-shape Dimmable LED lamps are the smart LED alternative to standard incandescents. The unique lamp design provides omi-directional light with excellent dimming performance.

Product data

| General Information | | Warm Up Time to 60% Light (Nom) | |
|---------------------------------------|------------------------------------|---------------------------------|----------------------------------|
| Base | E26 [Single Contact Medium Screw] | | 0.5 s |
| EU RoHS compliant | Yes | Power Factor (Nom) | 0.7 |
| Nominal Lifetime (Nom) | 15000 h | Voltage (Nom) | 120 V |
| Switching Cycle | 50000X | Temperature | |
| Technical Type | 5-40W | T-Case Maximum (Nom) | 75 °C |
| Light Technical | | Controls and Dimming | |
| Color Code | 930 [CCT of 3000K] | Dimmable | Yes |
| Beam Angle (Nom) | 250 ° | Mechanical and Housing | |
| Initial lumen (Nom) | 450 lm | Bulb Finish | Frosted |
| Color Designation | White (WH) | Approval and Application | |
| Correlated Color Temperature (Nom) | 3000 K | Energy Efficiency Label (EEL) | Not applicable |
| Luminous Efficacy (rated) (Nom) | 90.00 lm/W | Energy Consumption kWh/1000 h | - kWh |
| Color Consistency | <4 | Product Data | |
| Color Rendering Index (Nom) | 90 | Order product name | 5A19/PER/930/P/E26/DIM 6/1FB T20 |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % | EAN/UPC - Product | 046677550417 |
| Operating and Electrical | | Order code | 550418 |
| Input Frequency | 60 Hz | Numerator - Quantity Per Pack | 1 |
| Power (Rated) (Nom) | 5 W | Numerator - Packs per outer box | 6 |
| Lamp Current (Nom) | 55 mA | Material Nr. (12NC) | 929002035804 |
| Wattage Equivalent | 40 W | | |
| Starting Time (Nom) | 0.5 s | | |

A-Shape LED

Lifetime



15K LED

15K LMP

